

L Number	Hits	Search Text	DB	Time stamp
1	21	atomic same synchroniz\$6 same mutex\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 11:22
2	1	(atomic same synchroniz\$6 same mutex\$2) and atom\$2.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 11:00
4	0	mutex\$2 same identifier\$1 same value\$1 same differ\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 11:23
5	3259	before same after same identif\$4 same value\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 11:23
-	1	((mutex\$2 or (mutual\$2 near5 exclusi\$3)) same (identif\$7 near10 own\$3)) and (state\$1 same transition\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 14:33
-	26	(mutex\$2 or (mutual\$2 near5 exclusi\$3)) same (identif\$7 near10 own\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 14:33
-	17	((state\$1 near10 transition\$3) same (mutex\$2 or (mutual\$2 near5 exclusi\$3)) same (indicat\$3 or identif\$7))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 15:20
-	7	(state\$1 near10 transition\$3) same (mutex\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 15:20
-	10	(state\$1 near10 transition\$3) same (mutex\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 11:08
-	101418	indicat\$3 same (lock\$3 or (synchroniz\$5 near10 object) or mutex\$2 or semaphore\$1 or (mutual\$2 near5 exclusi\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 15:27
-	1014	indicat\$3 same acquire\$1 same (lock\$3 or (synchroniz\$5 near10 object) or mutex\$2 or semaphore\$1 or (mutual\$2 near5 exclusi\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 15:27
-	1681	indicat\$3 same acqui\$6 same (lock\$3 or (synchroniz\$5 near10 object) or mutex\$2 or semaphore\$1 or (mutual\$2 near5 exclusi\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 15:28
-	59	indicat\$3 same acqui\$6 same (state\$1 near20 transition\$4) same (lock\$3 or (synchroniz\$5 near10 object) or mutex\$2 or semaphore\$1 or (mutual\$2 near5 exclusi\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 15:36
-	14	(indicat\$3 same acqui\$6 same (state\$1 near20 transition\$4) same (lock\$3 or (synchroniz\$5 near10 object) or mutex\$2 or semaphore\$1 or (mutual\$2 near5 exclusi\$5))) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 16:02

-	975	indicat\$3 same (acqui\$6 near10 (lock\$3 or (synchroniz\$5 near10 object) or mutex\$2 or semaphore\$1 or (mutual\$2 near5 exclusi\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 15:37
-	709	(indicat\$3 same (acqui\$6 near10 (lock\$3 or (synchroniz\$5 near10 object) or mutex\$2 or semaphore\$1 or (mutual\$2 near5 exclusi\$5)))) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 15:37
-	896	indicat\$3 same (acqui\$6 near10 (lock\$3 or mutex\$2 or (mutual\$2 near5 exclusi\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 15:41
-	648	(indicat\$3 same (acqui\$6 near10 (lock\$3 or mutex\$2 or (mutual\$2 near5 exclusi\$5)))) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 16:25
-	14	((indicat\$3 same (acqui\$6 near10 (lock\$3 or mutex\$2 or (mutual\$2 near5 exclusi\$5)))) and @ad<20000929) and (mutex\$2 same handl\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 15:38
-	62	indicat\$3 same (acqui\$6 near10 (lock\$3 or mutex\$2 or (mutual\$2 near5 exclusi\$5))) same before same after	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 15:44
-	35	(indicat\$3 same (acqui\$6 near10 (lock\$3 or mutex\$2 or (mutual\$2 near5 exclusi\$5))) same before same after) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 15:42
-	3	(indicat\$3 near15 (before and after)) same (acqui\$6 near10 (lock\$3 or mutex\$2 or (mutual\$2 near5 exclusi\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 15:46
-	5	(indicat\$3 near15 (before and after)) same acqui\$6 same (lock\$3 or mutex\$2 or (mutual\$2 near5 exclusi\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 15:57
-	58118	state\$1 near5 transition\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 15:57
-	2762	(state\$1 near5 transition\$3) and ((operation\$4 near10 state\$1) same (processor\$1 or computer\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 15:58
-	3	(state\$1 near5 transition\$3) and ((operation\$4 near10 state\$1) same processor\$1 same computer\$1 same process same thread\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 16:00
-	2	(indicat\$3 near5 tim\$3) same (acqui\$7 near10 mutex\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 16:02

-	65	(indicat\$3 near5 tim\$3) same (acqui\$7 near10 (lock\$3 or mutex\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 16:02
-	50	((indicat\$3 near5 tim\$3) same (acqui\$7 near10 (lock\$3 or mutex\$2))) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 16:04
-	2	((((indicat\$3 near5 tim\$3) same (acqui\$7 near10 (lock\$3 or mutex\$2))) and @ad<20000929) and (state\$1 near10 transition\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 16:09
-	9	indicat\$3 same mutex\$2 same (obtain\$2 or acqui\$7) same before same after	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/29 16:19
-	15	(indicat\$3 near10 (before and after)) and (mutex\$2 near10 acqui\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/29 16:22
-	400	(indicat\$3 near10 whether near10 (before and after))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/29 16:22
-	0	(indicat\$3 near10 whether near10 (before and after)) same (mutex\$2 near10 (obtain\$2 or acqui\$7))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/29 16:23
-	0	(indicat\$3 near10 whether near10 (before and after)) and (mutex\$2 near10 (obtain\$2 or acqui\$7))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/29 16:23
-	2	(indicat\$3 near10 whether near10 (before and after)) and (mutex\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/29 16:24
-	28	(indicat\$3 near10 whether near10 (before or after)) and (mutex\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/29 16:24
-	17	((indicat\$3 near10 whether near10 (before or after)) and (mutex\$2)) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 16:25
-	114	(mutex\$2 or (mutual\$2 adj exclusi\$3)) same handl\$3 same function\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/02 11:09
-	79	((mutex\$2 or (mutual\$2 adj exclusi\$3)) same handl\$3 same function\$1) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 16:32
-	12	mutex\$2 same (handl\$3 near10 function\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/02 11:11
-	38	mutex\$2 same handler\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/02 11:11

-	23	(mutex\$2 same handler\$1) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 11:14
-	879	computer near10 (state\$1 near5 transition\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 13:10
-	431	(computer near10 (state\$1 near5 transition\$1)) and (state\$1 near10 operation\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 13:06
-	295	((computer near10 (state\$1 near5 transition\$1)) and (state\$1 near10 operation\$2)) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 13:11
-	16	((computer near10 (state\$1 near5 transition\$1)) and (state\$1 near10 operation\$2)) and @ad<20000929 and (atom\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 13:06
-	0	(computer near10 (state\$1 near5 transition\$1)) same processor same (process or processes) same thread\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 13:11
-	24	(state\$1 near5 transition\$1) same processor same (process or processes) same thread\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 13:11
-	15	((state\$1 near5 transition\$1) same processor same (process or processes) same thread\$1) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 13:18
-	8	(state\$1 adj transition\$1) same (computer and (process or processes) and processor and thread\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 13:22
-	751	(state\$1 adj transition\$1) same (mutex\$2 or synchroniz\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 13:23
-	3	(state\$1 adj transition\$1) same (mutex\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 13:23
-	4	overrid\$3 near10 mutex\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/02 15:36
-	1	mutex\$2 same identifier same atom\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/02 15:37

-	70	mutex\$2 same atom\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/02 15:37
-	42	(mutex\$2 same atom\$2) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/02 15:41
-	0	volunt\$5 same (terminat\$4 or yield\$) same mutex\$2 same thread\$3	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/02 16:33
-	0	volunt\$5 same (terminat\$4 or yield\$) same mutex\$2	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/02 16:33
-	23	volunt\$5 same (terminat\$4 or yield\$) same thread\$3	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/02 16:33
-	13	(volunt\$5 same (terminat\$4 or yield\$) same thread\$3) and @ad<20000929	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/02 16:34
-	5	((volunt\$5 same (terminat\$4 or yield\$) same thread\$3) and @ad<20000929) and (mutex\$2 or sync\$10)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/02 16:34
-	254046	modulat\$3 near10 signal\$3	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/02 16:45
-	700	modulated adj signal adj carrier	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/02 16:49
-	8	consist\$3 same magnetic same optical same atomic same biological	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/03 10:59